

SWITCH TAMPING MACHINE

STM



The Switch Tamping Machine (STM) is a small, truck transportable, tamping machine with the standard Harsco Rail's positive displacement tamping units. The STM provides versatility, simplicity, and quality tamping built on a lower cost platform. This machine can perform spot tamping as well as tandem tamping in production operations. The traversing workheads permit switch tamping as well.

SWITCH TAMPING MACHINE

Specifications

Length	6.7 m (21.9 ft.)
Width	3.2 m (10.5 ft.)
Height	3.3 m (11 ft.)
Wheelbase	3.4 m (8.6 ft.)
Track Gauge	1.4 m (4.7 ft.)
Main Frame	Welded steel construction
Wheels and Axles	762 mm (20 in.) cast steel (AAR Profile) wheels on solid alloy steel axles
Suspension	Fixed front axle, rear pivot axle with pillow block bearings mounting to frame
Brakes	Air-operated tread-type shoe brakes with a single composition shoe on each wheel; spring-applied, air-released, parking/emergency brake for automatic brake actuation in case of air pressure loss
Drive Train	Three-speed transmission with hydraulically driven traction motor and chain drive to front axle
Engine	Cummins QSB6.7 liquid cooled diesel
Hydraulic System	Two double pumps operating at 137.9 bar (2,000 psi)
Air System	7.1 L/sec (15 CFM) engine compressor, 689.5 kpa (100 psi) operating pressure
Electrical System	24-VDC system
Cab	Fully enclosed cab is accessible from either side of machine via a side platform equipped with ladder-type steps; provides operator with excellent visibility while working and traveling
Tamping Units	Four hydraulically driven vibrators power 16 abrasion-resistant tools at 50Hz; traversing workheads tamp entire switch area

Optional:

Leveling System	Harsco Rail Delta System
Lining Systems	Manual curve linear capable of lining both tangent and curved track during tamping and surfacing operations; it consists of an infrared projector and receiver at a fixed distance from the line rail, and a shadowboard at a variable distance from the line rail
Jacking System	Shoulder jacks are located on an overhead jack frame which allows lateral movement of the workheads in tamping a switch

Download full specs at www.harscorail.com
 Watch video at www.youtube.com/user/harscorail

Harsco Rail
 2401 Edmund Rd., Box 20
 Cayce-West Columbia, SC 29171-0020

Tel: (803) 822-9160
 Fax: (803) 822-8107
 Email: railinfo@harsco.com
www.harscorail.com

Bulletin #STM-01S-0813
 Printed in USA, September, 2013



Harsco Rail, Harsco Corporation Facility Locations:

2401 Edmund Road
 Box 20
 Cayce-West Columbia, SC
 29171-0020
 Tel: (803) 822-9160
 Fax: (803) 822-8107

415 North Main St.
 Fairmont, MN 56031-1837
 Tel: (507) 235-3361
 Fax: (507) 235-7370

200 S. Jackson Rd.
 Ludington, MI 49431
 Tel: (231) 843-3431
 Fax: (231) 843-4830

900 Kings Highway North
 Suite 208
 Cherry Hill, NJ 08034
 Tel: (856) 779-7795
 Fax: (856) 779-7431

4 Strathwyn St.
 P.O. Box 5287 Brendale
 Queensland 4500, Australia
 Tel: 61 7 3205 6500
 Fax: 61 7 3205 7369

Unit 1, Chewton Street, Eastwood
 Nottingham NG16 3HB
 United Kingdom
 Tel: 01773 539480
 Fax: 01773 539481

Av. Marechal Camara
 160 Grupo 1901
 Control CEP: 20020-080
 Rio de Janeiro-RG
 Tel: (21) 2510-5151
 Fax: (21) 2224-3484

Harsco Rail Europe GmbH
 Rehhecke 80
 40885 Ratingen
 Germany
 Tel: +49 2102 937200
 Fax: +49 2102 37651

Harsco APAC Rail Machinery Trading
 (Beijing) Co. Ltd.
 Room 805, State Guest Mansion
 No. 11 Fuwai Ave.
 100037 Beijing, China
 Tel: +8610-6800-3286
 Fax: +8610-6800-3288

The HARSCO RAIL equipment pictured in this brochure is intended to illustrate the general appearance and features of this product. It is equipped as specified by a particular customer and may or may not show items that are optional or recommended by HARSCO RAIL, Harsco Corporation. Specifications, illustrations, and descriptive materials herein were accurate as known at the time this publication was approved for printing. HARSCO RAIL, Harsco Corporation reserves the right to discontinue models or options at any time or change specifications and materials, equipment and design without notice and without incurring obligation. Federal, State or Provincial, and/or local laws and regulations may require additional equipment for the particular use intended for this product. It is the buyer's responsibility to determine the applicability of such laws and regulations to the buyer's intended use for the product and to arrange for the installation of the required equipment. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies and/or mark holders.